

HIGH CAPACITY WATER COOLED AIR DRYER



Water cooled air dryers for
capacities higher than $120\text{m}^3/\text{min}$



7/24
HOT LINE
+90 530 280 90 36

WATER COOLED HIGH-TEMPERATURE TYPE TECHNICAL DATA

Model	Air Capacity Nm ³ / min	Nominal Power (KW)	Air Inlet and Outlet	Cooling Water Tube Diameter	Cooling Water T/H	Tube Diameter Dimensions (L*W*H)	Weight KG
DB - 100W	110	22.05	DN150	R p 2"	30	2800x1270x2300	2310
DB - 120W	130	25.01	DN150	R p 2"	36	2800x1270x2300	2552
DB - 150W	160	30.12	DN200	DN65	40	2860x1400x2500	2805
DB - 200W	210	36.08	DN200	DN80	56	3400x1500x2700	3630
DB - 250W	260	44.10	DN250	DN80	70	3530x1570x2800	4235
DB - 300W	310	51.45	DN250	DN80	84	3750x1700x2850	4730
DB - 350W	370	58.80	DN300	DN80	87	4000x1900x3150	5372
DB - 400W	430	66.15	DN300	DN100	98	4200x2200x3300	5786
DB - 500W	550	73.50	DN350	DN100	121	4600x2200x3400	6500
DB - 600W	630	93.80	DN400	DN125	145	4800x2500x3500	7320

- ▶ Inlet Temperature : ≤80°C
- ▶ Cooling Water Temperature : ≤32°C
- ▶ Cooling Water Pressure : 0.2MPa - 0.5MPa
- ▶ Rated Pressure : 0.6MPa ~ 0.95MPa
- ▶ Pressure Dew Point : 2 ~ 10°C

OUR COMPANY MAY CHANGE THE VALUES IN THE CATALOGUE ACCORDING TO THE RESEARCH AND DEVELOPMENT STUDIES.